Walgett Shire Council



ABN 88 769 076 385

P.O. Box 31, WALGETT, N.S.W. 2832.

Telephone: (02) 6828 1399 Email: admin@walgett.nsw.gov.au

ACTIVITY APPLICATION ANNEXURE 2021 - 2022

C4 - ACTIVITY APPLICATION ANNEXURE

FEE: \$570.00 per year

DISPOSE OF WASTE INTO A SEWER OF THE COUNCIL

- 1. An application for approval to discharge trade waste into the sewer under the control of the Council or which connects with such a sewer must be accompanied by the following:
 - (a) plans and specifications of the work to be done;
 - (b) plans and specifications of the apparatus to be used;
 - (c) details of the nature and quantity of the waste and the rates of discharge of the effluent;
 - (d) pre lodgement meeting required with Building Surveyor as additional forms may be required to be submitted in accordance with the Liquid Trade Waste Regulations Guidelines.
- 2. An application for approval to discharge plan contents or septic tank effluent from premises to a sewer under the control of the Council or which connects with such a sewer must be accompanied by details of the following matters:
 - (a) the nature of the waste proposed to be discharged;
 - (b) the quantity of waste proposed to be discharged;
 - (c) the proposed rate of discharge of waste;
 - (d) the proposed frequency of discharge of waste

NOTE: The above mentioned fee may be supplemented by a further annual charge depending on quantity and type of waste disposed.

Liquid trade waste application forms

Contents

C1	Liquid trade waste application form
C2	Stand-alone commercial retail food preparation business application attachment sheet
C3	Mechanical repairs – application attachment sheet
C4	Laboratory – application attachment sheet
C5	Animal Wash – application attachment sheet
C6	Septic tank waste, pan waste, ship-to-shore pump-out waste application attachment sheet
	Site inspection form

Form C1 (Page 1) Liquid trade waste application form

					Council
sy Cl Cd W	nis application form is for bustem (Classification A, B, Cassification A. Use pages 1 omplete all pages for Concuben completed, please lodgorms C2 to C6).	or S). Please use to 3, 10 and Form Irrence Classificati	pages 1 to 3 and C6 for application on B or C. Pleas	d sign page 10 ons in Concur e include all d	O for Concurrence rence Classification S. etails as requested.
1.	Business trading name:				
2.	Site address:	No Str	eet		
	Town/Suburb				Postcode
	Property description:	Lot	Section		DP
3.	Property owner's name:			Telephone:	BH
					AH
4.	Property owner's address:				
5.	Applicant's name:			Telephone:	BH
	(if different to the owner)				AH
6.	Applicant's address:				
7.	Occupier's name:			Telephone:	BH
	(if different to the owner)				AH
8.	Normal hours of business:				
		Monday to Friday	/:	to	
		Saturday:	to		
		Sunday:	to		
9.	Type of business:				
	Commercial retail food pre	paration activities	– Please fill out	and attach Fo	rm C2
	Other commercial activities	s – Please fill out a	and attach as app	oropriate from	Forms C3 to C5
10	Description of flow:				
	Maximum rate of discharge	e to sewer			kL/h or L/s
	Maximum daily discharge	to sewer			kL

Form C1 (Page 2)

11. Any water supply meter being installed? Yes / No
12. Existing/proposed equipment (grease arrestor, basket arrestor, cooling pit, etc.):
Туре
Size/flow rate
13. Proposed cleaning schedule of pre-treatment equipment and names of contractors used:
14. Location of the sampling point:

- 15. Plans application to be accompanied by two copies of plans showing:
- details and location of all processes, tanks, pits and apparatus associated with the generation of commercial waste
- details, location, capacity/dimensions, material of construction and lining of the proposed pre-treatment facilities
- details of pipes and floor drainage conveying the effluent
- stormwater drainage plan.

List of Contractors

Name	Licence No	Contact

Form C1 (Page 3)

The following substances are prohibited from being discharged to the sewerage system:

- organochlorine weedicides, fungicides, pesticides, herbicides and substances of a similar nature and/or wastes arising from the preparation of these substances
- organophosphorus pesticides and/or waste arising from the preparation of these substances
- any substances liable to produce noxious or poisonous vapours in the sewerage system
- organic solvents and mineral oil
- any flammable or explosive substances
- · discharges from 'Bulk Fuel Depots'
- chromate from cooling towers
- natural or synthetic resins, plastic monomers, synthetic adhesives, rubber and plastic emulsions
- rain, surface, seepage or subsoil water, unless specifically permitted
- solid matter
- any substance assessed as not suitable to be discharged to the sewerage system
- waste liquids that contain pollutants at concentrations which inhibit the sewage treatment process – refer National Wastewater Source Management Guideline, July 2008, WSAA
- any other substances listed in a relevant regulation.

Concurrence Classification B or C (Page 4)

The following pages are to be used by businesses that wish to discharge Concurrence Classification B or C liquid trade wastes to the sewerage system. Please include all details as requested (if insufficient space attach as clearly labelled appendices), and make sure you read the section on substances that must not be discharged to the sewerage system.

16.	Type	of business:
17.	Name	of processes generating liquid trade waste:
	(a)	
	(b)	
	(c)	
	(d)	
	(e)	
	(f)	

- 18. Type and Quantity of raw materials processed
- 19. Description of Waste:
 - list of all expected pollutants including substances contained in wash down detergents, boiler and cooling water and other sources
 - expected maximum and average concentrations of pollutants
 - sample analysis results of the proposed waste.

Note: The sample analysis tests shall be carried out by a NATA approved laboratory with accreditation for analysis of the nominated pollutants in the application or a laboratory acceptable to NSW Office of Water.

Acceptable means of sample analysis data collection:

- Sample analysis results from a similar existing process
- Collection of the proposed waste from a trial pre-treatment plant
- Stand alone pre-treatment manufacturer's waste quality expectations
- Configured pre-treatment consultant's calculations based on experience of a similar installation.

Attach details and supporting documentation of data collection method.

When detailing the nominated pollutants where there is no possibility of discharge to the sewerage system because none of the substance is stored or used at the premises, write "NIL".

(the local water utility may add to this list as required)

Parameter	Parameter Acceptance Guideline Limits [†] mg/L		Maximum mg/L
BOD₅ and Suspended solids	Normally, approved at 300 mg/L each. Concentration up to 600mg/L and in some cases higher concentration for low mass loadings may be acceptable if the treatment works has sufficient capacity and odour will not be a problem.		
COD	Normally, not to exceed BOD ₅ by more than three times. This ratio is given as a guide only to prevent the discharge of non-biodegradable waste.		
Total dissolved solids	Up to 4000 mg/L may be accepted. The acceptance limit may vary depending on an effluent disposal option and is subject to a mass load limit.		
Temperature	Less than 38°C.		
рН	Within the range 7.0 to 9.0.		
Oil and grease	100 mg/L if the volume of the discharge does not exceed 10% of the design capacity of the treatment works, and 50 mg/L if the volume is greater than 10%.		
Detergents	All industrial detergents are to be biodegradable. A limit on the concentration of 50 mg/L (as MBAS) may be imposed on large liquid trade wastes.		
Colour	No visible colour when the waste is diluted to the equivalent dilution afforded by domestic sewage flow.		
Radioactive substances	The discharge must comply with the Radiation Control Act 1990.		

Council may vary the acceptance limits having regard to the discharge characteristics and capacity of its sewerage system.

Acceptance guidelines for inorganic compounds⁺

Parameter	Acceptance Guideline Limits mg/L	Average mg/L	Maximum mg/L
Ammonia (as N)	50		
Boron	5		
Bromine	5		
Chlorine	10		
Cyanide	1		
Fluoride	20		
Nitrogen (total Kjeldahl)	100		
Phosphorus	20		
Sulphate (SO ₄)	500		
Sulphide (as S)	1		
Sulphite (as SO ₃)	15		

Council may vary the acceptance limits having regard to the discharge characteristics and capacity of its sewerage system.

Acceptance guidelines for organic compounds*

Parameter	Acceptance Guideline Limits mg/L	Average mg/L	Maximum mg/L
Benzene	0.04		
Toluene	0.5		
Ethyl benzene	1		
Xylene	1		
Formaldehyde	30*		
* Acceptance of chemical toilet waste which contains formaldehyde will be assessed on the available dilution in the sewerage system.			
Phenolic compounds (except pentachlorophenol)	5		
Petroleum hydrocarbons (non-flammable)	30		
Pesticides (general)	0.1		
Pesticides (organophosphates)	Nil		
Pesticides (organochlorines)	Nil		
Polynuclear Aromatic Hydrocarbons (PAH)	5		

Council may vary the acceptance limits having regard to the discharge characteristics and capacity of its sewerage system.

Acceptance guideline for metals*

For small discharges, a daily mass load criteria may be used other than the concentration limit. An upper daily mass load can be applied to a large liquid trade waste discharge in addition to the concentration limit.

Parameter	Acceptance Guideline Limits mg/L	Allowed daily mass limit g/d	Average mg/L	Maximum mg/L
Aluminium	100	-		
Arsenic	1	2		
Cadmium	1	6		
Chromium *	3	15		
trivalent state (Cr3+)	hromium (Cr6+) is present in the property, prior to discharge into the sewer. corrosion inhibitors in cooling tow	Discharge of hexavalent	nt will be required to re chromium (Cr6+) from	educe it to the chromate
Cobalt	5	15		
Copper	5	15		
Iron	100	-		
Lead	1	6		
Manganese	10	30		
Mercury	0.01	0.05		
Molybdenum	5	30		
Nickel	3	15		
Selenium	1	15		
Silver	2#	6		
Tin	5	15		
Zinc	5	15		

⁺ Council may vary the acceptance limits having regard to the discharge characteristics and capacity of its sewerage system.

^{*} This limit is applicable for large dischargers. The concentration of silver in the photoprocessing waste where a balancing tank is provided is not to exceed 5 mg/L.

20. Non sewerage sy	stem discharges/	wastes
Details of management be discharged to the s	•	waste streams/wastes that are not permitted or not intended to
21. Description of flow	N:	
	er. Large discha	ous rate of discharge (kL/h or L/s) is set on the available rgers are required to provide a balancing tank to even out orks.
Hours of days during v	vhich discharge w	vill normally take place
Monday – Friday:	am	pm
Saturday:	am	pm
Sunday:	am	pm
When are the peak pe	riods of discharge	e during the day
Type of discharge:		
Batch flow		
• Intermittent flow		
Continuous flow		
22. Where the application these circumstant		re are special circumstances applicable to their discharge, entified, eg:
seasonal discharg	es	
large differences b	etween average	and maximum daily loads
• variations to flow,	which avoid peak	domestic flows, etc.
 retention of discharge 	arges for extended	d periods.
Comments		
23. Open Areas (Plea	ase attach stormw	vater drainage plan for the site):
Does the proposed inst	allation contain op	pen areas that will drain to the sewerage system? Yes / No
If Yes give details:		

Stormwater is prohibited from being discharged into the council's sewerage system. The capacity for such flows is not provided in the sewerage system. Therefore, council does not generally accept the discharge of stormwater to the sewerage system.

The discharge of limited quantities of first flush water from sealed liquid trade waste generating areas will be considered where roofing cannot be provided because of safety or other important considerations.

Please provide the following information:

- reasons why the area cannot be fully or partially roofed and bunded to exclude stormwater
- the dimensions and a plan of the area under consideration
- · whether the open area is sealed
- the estimated volume of the stormwater discharge
- information on rain gauging
- information on a first-flush system if proposed
- measures proposed for diverting stormwater away from the liquid trade waste generating area
- report on other stormwater management options considered and why they are not feasible.

24. Water supply source:

- bore/groundwater/on-site dam/watercourse
- recycled/reuse water
- town water
- any water supply meter being installed.

Com	Comments			
25.	Sampling point location			
26.	Flow measurement location and proposed flow measurement to sewer Please attach details of flow measurement installed/proposed			

27. Existing/proposed waste treatment and equipment:

Plans - application to be accompanied by 2 copies of plans showing:

- details and location of all processes, tanks, pits and apparatus associated with the generation of industrial waste
- details of the proposed liquid waste treatment processes
- details of pipes, floor drainage used to convey the effluent
- a full schematic layout of the proposed/existing waste pre-treatment facilities for liquid trade waste prior to discharge to the sewerage system
- flow diagram and hydraulic profile of proposed treatment apparatus

- capacity/dimensions, material of construction and lining, operation and maintenance of all pits, tanks, dosing systems, pumps, etc
- details of the integrity of the pH correction system (diversion system, recording, alarms location, failsafe, tamperproof)
- Any additional details as requested by the local water utility.
- 28. Proposed cleaning schedule of pre-treatment equipment and contractor

Pre-treatment Equipment	Frequency (weeks)	Name of Contractor	Licence

29. Details of the chemicals to be used on site:

Substance	Qty	Storage liquid/solid	Location	Bunding

NOTE: Attach Material Safety Data Sheets prepared in accordance with the National Code of Practice [NOHSC: 2011] for chemicals to be used and are likely to be contained in the waste effluent

30. Any proposed plans for future expansion? Yes / No

If "Yes" give details on a separate attachment.

Form C1 (Page 10)

The applicant should be aware that approval of this application does not constitute a guarantee of any future approval of a variation to the approval. This will be dependent on the available capacity of the sewerage system at that time and any future approval must not be assumed.

However, alerting the Council to the applicant's future plans and proposals may assist the Council in planning future sewage management and/or infrastructure additions/modifications.

pianing ratare sewage manag	gernent ana/or initadiractare additions/	modifications		
31. Supporting documentation:	:			
Please attach any relevant supp	porting documentation eg.			
Environmental Impact Stater	ment			
2. Consultant's report				
3. Office of Environment and H	eritage considerations/restrictions.			
Signature of owner/s		Date	/	/
(Owner's authorisation to makin Government Act 1993)	ng the application is mandatory as per	section 78, o	f the <i>Loc</i>	eal
trade waste services provided within the period specified.	The property will be billed for water and it is the owner's responsibility. The owner may arrange to recover the owner and the occupier.	y to pay suc	h fees a	nd charge:
Signature of occupier/applicant		Date	/	/
Position in Company				
Office Use Only				
Application date received				
Site visit conducted				
Application		appro	ved / ref	used
Issue of approval				
Approval No				
Commencement of discharge	Officer in	charge		
STW Details				
	Sewage Treatment Works			
	Design Capacity (EP)			

Actual Capacity (EP)

Form C2 (Page 1)

Stand-alone commercial retail food preparation business application attachment sheet

Please fill out this attachment sheet if your business is involved in commercial food preparation activities that discharge liquid trade waste to the sewerage system. In the table below, tick the 'name of process' that best describes what your business does, and write the number of seats or beds your business has (if any). In addition, please indicate if your premises contains the following:

potato peeling appliance/s – number of appliances	
dishwasher/s – number of appliances	

When finished, attach this sheet to the application form (Form C1).

Tick	Name of process	No. of seats or beds
	Bakery (only bread baked on site)	NIL
	Bakery (pies, sausage rolls, quiches, cakes cooked on premises)	
	Bakery (imported pies and sausage rolls)	
	Bakery (with coffee shop – eat in)	
	Bistro (no hot food cooked – sandwiches (coffee) only)	
	Bistro (hot food cooked and served)	
	Boarding house/hostel kitchen	
	Butcher – retail	NIL
	Café	
	Cafeteria	
	Canteen	
	Caterer	
	Club	
	Coffee shop/sandwich shop – no hot food cooked or served	
	Coffee shop – hot food cooked or served	
	Commercial kitchen/caterer	
	Community hall kitchen – tea and coffee only	
	Community hall kitchen – hot food cooked and served	
	Chicken – BBQ/charcoal	
	Chicken – retail fresh outlet with cutting and preparation of meat	
	Day care centre	NIL
	Delicatessen – no meat cooked on site – no hot food prepared or served	
	Delicatessen – hot food prepared or served	
	Doughnut shop	

Form C2 (Page 2)

Tick	Name of process	No. of seats or beds
	Fish shop – fresh (retail) no cooking on site	NIL
	Fish shop – cooking on site	
	Food caravan	NIL
	Fruit and vegetable market (retail)	NIL
	Function centre	
	Garbage bin cleaning – within commercial premises, ie. hotel/restaurant	NIL
	Hostel	
	Hotel bistro	
	Hotel restaurant	
	Hotel snack bar	
	Hot bread shop	
	Ice cream parlour	
	Ice cream parlour with hot food take-away	
	Juice bar	
	Loading dock – fruit and vegetable	NIL
	Mixed business (minimal hot food)	
	Motel kitchen/restaurant	
	Nightclub	
	Nursing home kitchen	
	Patisserie – croissants and muffins	
	Pie shop (with or without pastry)	
	Pizza home delivery/take-away only	NIL
	Pizza cooking/reheating (no preparation or washing up on site, pizza heated in retail container and sold for consumption off site).	
	Pizzeria	
	Pizza restaurant	
	Restaurant	
	Salad bar – no cooking	
	Salad bar – cooking	
	Sandwich bar/coffee lounge – no cooking	
	Sandwich bar/coffee lounge – cooking	
	Seafoods – no hot food cooking	
	Seafoods – hot food cooking	
	Supermarket – incorporating butcher	NIL
	Take-away – fish and chips, BBQ chicken, hamburgers	
	Take-away – no hot food	

Form C3 (Page 1)

Mechanical repairers application attachment sheet

Please fill out this attachment sheet if your business is involved in mechanical repair processes (and other services related to motorised equipment processes) that discharge liquid trade waste to the sewerage system. In the lists below, tick the 'business type' or 'processes' that best describe what your business does. Note that there is an additional list at the end for 'associated processes', eg. take-away food at a service station.

When finished, attached this sheet to the application form (Form C1).

Business Type

- Airport terminal
- Bus/coach depot
- Car detailer
- Car/truck dealership service centre
- Car importation premises (de-waxing only)
- Construction equipment maintenance (ie. earthmoving equipment and/or cranes)
- Equipment hire premises
- Fleet vehicle operations
- Forklift maintenance
- Garbage truck washing
- Lawnmower repairer
- Motorbike mechanical repairer
- Motor boat mechanical repairer
- Motor wrecker
- Service station
- Stand-alone mechanical workshop
- Train washing facility
- Transport depot

Oth	ner, please specify	

Form C3 (Page 2)

Mechanical workshop

- Parts washing with water
- Floor washing
- Draining and flushing of radiator coolant (not permitted for discharge)
- Parts washing with solvents (not permitted for discharge)
- Radiator repairs
- Automobile dismantling (ie. motor wrecker)
- Cleaning of engine blocks and engine heads in chemical baths
- Engine/gearbox reconditioner (sent off site)
- Engine/gearbox reconditioner (carried out on site).

Repairing car bodies

- Panel beating
- Wet rubbing
- Spray painting.

Washing and detailing

- Tunnel type (external body only)
- Wand type (external body only)
- Washing by hand (external body only)
- Degreasing of engine and washing
- Internal washing of meat vans or truck underbodies
- External truck washing
- Internal washing of tankers
- Forecourt washing (service station)
- Open area washing (considered only under special circumstances. Applicant must supply reasons why roofing is not possible, and must include the details of a first flush system).

Associated Activities/Businesses

Some premises have associated processes generating liquid trade waste.

In addition to the above, does your premises have any of the following processes?

- Restaurant (number of seats)
- Take-away food bar (number of seats)
- Service station forecourt food caravan(s)
- Boiler blowdown (steam supply for internal washing of tankers)
- Chemical toilet disposal (for intercity coaches/buses)
- Other trade wastewater process (please specify).

Form C4

Laboratory application attachment sheet

Please fill out this attachment sheet if your business has a laboratory that discharges liquid trade waste to the sewerage system. In the list below, tick the 'business type' that best describes your business. When finished, attach this sheet to the application form (Form C1).

Business Type

- Agricultural research centre laboratory
- · Agricultural research (herbicides) laboratory
- Analytical laboratory
- Animal health (parasitology) laboratory
- Autopsy laboratory
- Chemical (pesticides) laboratory
- Clinical laboratory
- Dental laboratory
- Film (movies) laboratory
- Hospital laboratory
- Nuclear medicine laboratory
- Pathology laboratory
- Pharmaceutical laboratory
- Photographic laboratory
- Police crime scene unit laboratory
- Business that uses radioisotope
- School domestic (home) science laboratory
- School science laboratory
- Soil testing laboratory
- Tertiary institution laboratory (please specify)
- Veterinary research laboratory
- Workplace laboratory
- X-ray laboratory (radiology)
- Other, please specify

Form C5

Animal wash application attachment sheet

Please fill out this form if your business involves animal washing processes that discharge liquid trade waste to the sewerage system. In the list below, tick the 'business type' that best describes what your business does, and also tick any 'associated processes' that are relevant to your business.

Business Type

- Mobile animal wash
- Dog pound
- Boarding kennels
- Stables
- Racecourse.

Does your business include any of the following associated activities/business types?

- X-ray facilities
- Pathology laboratory
- Autopsies performed
- Animal health (parasitology) laboratory
- Veterinary research laboratory
- Restaurant (< 5000 L grease arrestor)
- Conference facility that serves hot food (< 5000 L grease arrestor)
- Open areas (please indicate area size).

Details of disposal of animal droppings and/or litter

NOTE: Where full roofing is not provided the application must be referred to NOW for concurrence.

Form C6

Septic tank waste, pan waste, ship-to-shore pump-out waste application attachment sheet

This form is to be used by businesses that wish to discharge Concurrence Classification S liquid trade wastes to the sewerage system. Please include all details as requested (if insufficient space attach clearly labelled appendices), and make sure you read the section on substances that must not be discharged to the sewerage system.

A. Type of waste	e:	
Septic tar	nk waste	
☐ Septic	tank effluent	☐ Septage
Pan conte	ent waste	
☐ Carava	an Park/Mobile home	es
☐ Portab	le Chemical toilet (bu	uilding/event sites/bus/train)
Pump-out	t from boat/marinas	
☐ Liquid	galley waste	☐ Toilet waste
☐ Dock o	cleaning waste	
B. Hours of days	s during which o	discharge will normally take place
Monday – Friday:	am	pm
Saturday/Sunday:	am	pm
C. Odour inhibiti provided)	ing and other ch	nemicals used (Material Safety Data Sheets must be
Name of chemical ac	dded	
Dosage rate		
D. Proposed me	thod of waste v	olume measurement
E. Proposed me	thod of dischar	ge including plans and drawings if appropriate
F. Information on	a disposal point,	site plan and drawings if applicable

G. Open Areas (Ple	ease attach stormwater drainage plan for the site):						
Does the proposed installation contain open areas that will drain to the sewerage system? You							
If Yes give details:							
capacity for such flo	bited from being discharged into the council's sewerage system. The ws is not provided in the sewerage system. Therefore, council does not discharge of stormwater to the sewerage system.						
Prevention of stormwa	ater ingress at the proposed dump point						
H. Odour control n	neasures if applicable						
I. Measures to prev	vent grease trap waste being mixed with septic tank waste.						
Grease trap waste is	not permitted to be discharged to the sewerage system.						
Please attach a staten	nent that septic tank effluent will not be mixed with grease trap pump-out waste.						
J. Security arrange	ements at the proposed disposal point, if applicable						
(What measures will b	ne in place to prevent unauthorised discharge of waste to the sewerage system)						
K. For boat/marina	a facility						
Number of vessels that	at may utilise the pump-out facility						

Page **21** of **30**

Bilge water is not permitted to be discharged to the sewerage system.

Site Inspection Form (Prior to using this form, please refer to section 3.12 on page 45 of the Liquid Trade Waste Regulation Guidelines) LWU: Property/Rate No. Meter Readings: **Previous** Current Fresh Water LTW Discharge Discharge Factor Gauging includes Domestic:- Y/N Date: Duration No. of employees: Start: LWU Office Time: __ Company Address Process Involved: Reason □ Initial Inspection ☐ Preliminary Investigative Sampling (new discharger) □ Routine Inspection □ Non-Compliance □ Pre-treatment Inspection ☐ Discharger Notification (accident, spill, breakdown) □ Pollution Inquiry Investigation ☐ Response to Notification from Public □ Meeting **Prior to Site Inspection** In order to conduct a valid site assessment in a conscientious and professional manner for liquid trade waste purposes some preliminary data collection is required prior to the site inspection: a copy of a schematic flow diagram that denotes sources and volumes of trade waste and arrangement for directional flow □ a copy of the relevant pages of the conditions of approval for discharge – for auditing purposes ☐ insert the last meter readings on this sheet (and field discharge observation sheet) ☐ insert date of last calibration of a discharge meter if applicable □ notes carry over issues from last meeting/inspection collect any educational material that maybe of use to the discharger and of mutual benefit in assisting outcomes results of the last auditing sample analysis (if available).

Na	ame of Company:									
Address:										
Pr	ocess:									
	Start Date /	1		Start Time	е	am/	/pm			
	Finish Date /	1		Finish Tir	ne	an	n/pm			
Sa	ampling Details:			_						
	Audit Sampling				Samp	ole N	lo.	Mete	er Readings	
	Charging Purposes								l	
	Follow-up Sample								h narge Volume	
	Investigation				No. of	t bo			ng Sampling	
Ту	pe of Sample:						-		kL	
	Grab Sample	Grabs per Bott	le							
	Profile sampling	mls per Grab								
	Composite Manual Time	Interval between	en Gi	rabs min./kl	L					
 □ Composite Manual Flow Proportional □ Composite Automatic Time Based □ Composite Automatic Flow Proportional 										
Sa	ample Point									
Ti	me									
Cł	nemical Preservation									
Oı	n-Site pH									
Oı	n-Site Temperature									
Ol	oservations: (Colour etc.)									
Po	ollutants:	BOD COD PH MBAS Sulphates Sulphides Chlorine Bromine Boron Cyanide Fluoride		Metals Sca Aluminium Arsenic Cadmium Chromium Cobalt Copper Iron Lead Manganese Mercury Molybdenu Nickel Selenium Silver Tin Zinc	n		Polynuclear	ved S I Gre norus Nitr hl Ni tum I Aron Phen ostan le	Solids case cogen itrogen Hydrocarbons natic Hydroca colic Substance ces	

Meeting/Discussion Notes

Person/s in Attendance:			
Position/s:			
Location:			
Date and Time:			
Topic:			
Due Diligence Considerat	ions		
Contingency Plan			
Comments:			
ACTIONS:			
	· · · · · · · · · · · · · · · · · · ·		 · · · · · · · · · · · · · · · · · · ·

Pre-treatment inspection checklist

Note: The operation of some equipment cannot be checked adequately without effluent flow through the pre-treatment system. It is therefore important to first consider if the factory process is discharging waste to the pre-treatment system.

Inspection	Comments
☐ Water meter/s operational	
Business	
☐ Change of trading name	
☐ Change of management	
☐ Change of occupier	
☐ Change of product line	
☐ Change in production output	
☐ Seasonal issues	
Operational Personnel	
☐ Trained operator on-duty	
☐ Sick/on leave	
☐ Trained replacement operator	
Logbooks audited for scheduled maintenance, breakdowns, clean-outs etc.	
Pre-Treatment On Bypass	
☐ To holding tank or other	
☐ Untreated to sewerage system	
Equipment Pre-Treatment	
Collection pits, vessels	
☐ Removable basket in place	
☐ Fixed screen in place	
☐ Baffles, weirs, covers in place	
☐ Regular maintenance clean-out	
☐ Tanks and containers not leaking or overflowing	
☐ Flow recirculating	
Monitoring System	
 Alarms (visual and audible to alert staff within sight and hearing of appropriate operator and operational) 	
 Equipment gauges (switch gear and control assembly) 	
☐ High and low level cut-in alarms for vessels	
☐ Stand-by pumps operational	
☐ Reagent tank levels	
□ Dosing equipment operational	
☐ Specific components on bypass	
☐ Bunding satisfactory	

рH	Correction System	
•	Manual Correction	
	☐ Audit dosing procedure	
	☐ Audit logbook records for number of batches and pH readings	
	☐ Audit chemical testing equipment for shelf-life validity (papers and chemicals)	
•	Automatic Correction	
	☐ Dosing chemical levels satisfactory	
	☐ Dosing operating satisfactorily	
	□ pH adjustment meter operational and reading correctly (test)	
	□ pH in range	
	☐ pH sensor probes operational	
	☐ Chart recorder operational	
	☐ Previous charts checked for compliance	
	 □ Diversion system checked – solenoid valve operational 	
	☐ Final pH probe operational	
	□ Regular maintenance of pH sensor probes (audit logbook)	
•	Monitoring system	
	☐ Alarms (visual and audible to alert staff within sight and hearing of appropriate operator and operational)	
	☐ Equipment gauges (switch gear and control assembly)	
Dis	scharge Flowmeter	
•	Flow sensor type:	
	☐ Ultra-sonic	
	☐ Electro-magnetic	
	□ Paddlewheel	
	□ Doppler	
•	Flowmeter operation	
	☐ Meter readout	
	☐ L/s readout	
	☐ Last Calibration Certificate Issued	
	☐ Annual Calibration Due	
Op	en Areas	
	☐ Roofing	
	☐ Bunding	
	☐ Identification of additional stormwater ingress areas (loading docks and service areas)	
	☐ First-Flush system operation and maintenance satisfactory	

Hazardous Chemical Storage	
☐ Stored in isolated area	
☐ Roofed	
☐ Bunded with impervious seal	
Cleaning Compounds	
☐ Bio-degradable	
☐ 'Quick-Break' detergents	
☐ Other – Material Safety Data Sheets required	
Cross Contamination	
☐ Air breaks	
☐ Hoses in tanks	
☐ Cross connections	
Ancilliary Processes	
Factory Process	
☐ Collection sump screens	
☐ Dry sweep rather than hose	
Boilers	
☐ Temperature	
☐ Chemicals	
Cooling Towers	
☐ Nil chromate products	
☐ Chemicals	
Refrigeration	
☐ Nil chromate products	
☐ Stormwater or Sewer?	
Condensate	
☐ Oil and grease	
☐ Petroleum hydrocarbons	
Canteen (re-heating, tea and coffee only)	
□ N/a	
Canteen (meal preparation)	
☐ Grease arrestor	
Laboratory (quality control, analytical)	
☐ Neutralising pit	
Laundry	
☐ Lint screens	
☐ Temperature (cooling pit)	
□ рН	
Package and Printing	
☐ Inks and solvents	
☐ Silver bearing waste	

Vehicle and Equipment	
Washdown Area	
☐ Roofed	
☐ Bunded	
☐ Oil arrestor	
Mechanical Workshop	
☐ Oil arrestor	
Refuelling Areas	
□ Not permitted for discharge (except in the case of a covered forecourt area)	
☐ Flammable liquids not permitted for discharge	
Approval/ TW Services Agreement	
☐ Check that additional conditions are in compliance	
Risk Management	
☐ Due diligence programme	
☐ Contingency plan	
Ponds	
☐ Anaerobic	
☐ Aerobic	
☐ Solids build-up	
☐ Outlet baffle	
□ Odour	

Water meter and flow meter readings

Year Ending	December
Company:	
Address:	
Property/Rate No.:	
Flow Sensor Type:	
☐ Ultra-sonic	
□ Electro-magnetic	
□ Paddlewheel	
□ Doppler Type	
-	
Manufacturer:	
Flow Rate Indicator/Disch	arge Integrator
Туре:	
Manufacturer:	
Chart Recorder – Type:	
Instrumentation Installed:	//
Last Calibration Certificate	Issued://
Annual Calibration Due:	//
Authorised Calibration Age	nt:
Phone:	
Fresh Water Meter/s: Loca	tion/s:
Fitted	d:
Size	·
Discharge for Year:	kL (Average/day)

Water meter and flow meter readings sheet *

TTALC	water meter and now meter readings sheet													
	Discharge				Consumption			Gauging Includes Domestic:- Y/N						
		_							No. Employees:-					
DATE	TIME	Integrator Reading	Discharge (kL)	L/s	Average kL/d	TW DF¹	Water Meter	Total Water Consumptio n	Average kL/d	SDF ²	DAYS ³	Remarks and Initials	DF ⁴ Estimated	Meter ⁵ Reading Adjusted
		_						F 0						
												-		

^{*} Refer to Appendix G for further details

Notes:

Shaded area: Calculations by LWU office.

Trade waste discharge factor.
 Sewer discharge factor.
 Number of days between meter recording.

⁴ Discharge factor estimated using 100L/d per person where employees shower daily eg. abattoir, food factory; otherwise use 50L/d per person.

Meter reading adjusted on the basis of 4 above.